



|                      |              |                        |                              |
|----------------------|--------------|------------------------|------------------------------|
| <b>Number</b>        | KIP-17050/G  | <b>Replaces</b>        | KIP-16910/G                  |
| <b>Issue date</b>    | 15-03-2022   | <b>Contract number</b> | I 7000                       |
| <b>Due date</b>      | 14-03-2025   | <b>Scope</b>           | (EU) 2016/426 (9 March 2016) |
| <b>Report number</b> | 140700134/13 | <b>Module</b>          | B (Type testing)             |
| <b>PIN</b>           | 0476CQ0134   |                        |                              |

## EU TYPE-EXAMINATION CERTIFICATE (GAR)

Kiwa Cermet Italia declares that the Central heating condensing boilers, type(s):

**as specified in the following appendices**

Manufacturer

**Radiant Bruciatori S.p.A.**  
**Via Pantanelli 164/166, 61025**  
**Montelabbate (PU) - Italy**

Meet the essential requirements as described in the  
**Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.**

Reference standard: EN 15502-1:2012 + A1:2015, EN 15502-2-1:2012+A1:2016

This certificate is only valid in combination with the appendix to this certificate, where specific information and/or conditions are given.

# CERTIFICATE

**Kiwa Cermet Italia S.p.A.**  
Società con socio unico, soggetta all'attività di  
direzione e coordinamento di Kiwa Italia  
Holding Srl

Via Cadriano, 23  
40057 Granarolo dell'Emilia (BO)

**Unità locale**  
Via Treviso 32/34  
31020 San Vendemiano (TV)

Tel +39. 0438 411755  
Fax +39.0438 22428  
E-mail: [info@kiwacermet.it](mailto:info@kiwacermet.it)  
[www.kiwa.it](http://www.kiwa.it)  
[www.kiwacermet.it](http://www.kiwacermet.it)

**GASTEC**

**Chief Operating Officer**  
*Giampiero Belcredi*



PRD N° 069B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC  
Signatory of EA, IAF and ILAC Mutual Recognition Agreements



**Number** KIP-17050/G **Page** 1 of 6  
**Issue date** 15-03-2022 **Scope** (EU) 2016/426 (9 March 2016)  
**Due date** 14-03-2025 **Module** B (Type testing)  
**Report number** 140700134/13  
**PIN** 0476CQ0134

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

Brand name:

**RADIANT**

Types:

| Model name            | Heat Input (Hi)         |                          |
|-----------------------|-------------------------|--------------------------|
|                       | CH<br>Max – Min<br>(kW) | DHW<br>Max – Min<br>(kW) |
| R2K 28                | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /20           | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /40           | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /100          | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /20 2V        | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /150 Solar    | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /200 Solar    | 28,0 – 3,7              | 28,0 – 3,7               |
| R2K 28 Box            | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /8 Box        | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /20 Box       | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 / 20 2V Box   | 28,0 – 3,7              | 28,0 – 3,7               |
| R2K 28 RAIN           | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /8 RAIN       | 28,0 – 3,7              | 28,0 – 3,7               |
| R2KA 28 /200 Solar Hy | 28,0 – 3,7              | 28,0 – 3,7               |
| R2K 28 Hy             | 28,0 – 3,7              | 28,0 – 3,7               |
| R2K 28 Hy /S          | 28,0 – 3,7              | 28,0 – 3,7               |
| R1KR 28               | 28,0 – 3,7              | 28,0 – 3,7               |
| R2C 28                | 28,0 – 3,7              | 28,0 – 3,7               |
| R1CR 28               | 28,0 – 3,7              | 28,0 – 3,7               |
| R2K 28 G-HY           | 28,0 – 3,7              | 28,0 – 3,7               |
| R1K 28                | 28,0 – 3,7              | --                       |
| R1KG 28               | 28,0 – 3,7              | --                       |
| R1K 28 BOX            | 28,0 – 3,7              | --                       |
| R1K 28 RAIN           | 28,0 – 3,7              | --                       |
| MODULO 28 A1          | 28,0 – 3,7              | --                       |
| MODULO 28 R1          | 28,0 – 3,7              | --                       |
| R1C 28                | 28,0 – 3,7              | --                       |
| R2K 34                | 34,0 – 4,1              | 34,0 – 4,1               |
| R2KA 34 /20           | 34,0 – 4,1              | 34,0 – 4,1               |
| R2KA 34 /40           | 34,0 – 4,1              | 34,0 – 4,1               |
| R2KA 34 /100          | 34,0 – 4,1              | 34,0 – 4,1               |
| R2KA 34 /20 2V        | 34,0 – 4,1              | 34,0 – 4,1               |
| R2KA 34 /150 Solar    | 34,0 – 4,1              | 34,0 – 4,1               |
| R2KA 34 /200 Solar    | 34,0 – 4,1              | 34,0 – 4,1               |
| R2K 34 RAIN           | 34,0 – 4,1              | 34,0 – 4,1               |

| Model name            | Heat Input (Hi)         |                          |
|-----------------------|-------------------------|--------------------------|
|                       | CH<br>Max – Min<br>(kW) | DHW<br>Max – Min<br>(kW) |
| R2KA 34 /200 Solar Hy | 34,0 – 4,1              | 34,0 – 4,1               |
| R2K 34 Hy             | 34,0 – 4,1              | 34,0 – 4,1               |
| R2K 34 Hy /S          | 34,0 – 4,1              | 34,0 – 4,1               |
| R1KR 34               | 34,0 – 4,1              | 34,0 – 4,1               |
| R2C 34                | 34,0 – 4,1              | 34,0 – 4,1               |
| R1CR 34               | 34,0 – 4,1              | 34,0 – 4,1               |
| R2K 24                | 23,5 – 2,9              | 23,5 – 2,9               |
| R2K 24 BOX            | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /8            | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /20           | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /40           | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /100          | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /20 2V        | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /150 Solar    | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /200 Solar    | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /8 Box        | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /20 Box       | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 / 20 2V Box   | 23,5 – 2,9              | 23,5 – 2,9               |
| R2K 24 RAIN           | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /8 RAIN       | 23,5 – 2,9              | 23,5 – 2,9               |
| R2KA 24 /200 Solar Hy | 23,5 – 2,9              | 23,5 – 2,9               |
| R2K 24 Hy             | 23,5 – 2,9              | 23,5 – 2,9               |
| R2K 24 Hy /S          | 23,5 – 2,9              | 23,5 – 2,9               |
| R1C 24                | 23,5 – 2,9              | 23,5 – 2,9               |
| R2C 24                | 23,5 – 2,9              | 23,5 – 2,9               |
| R1C 24 RAIN           | 23,5 – 2,9              | 23,5 – 2,9               |
| R2C 24 RAIN           | 23,5 – 2,9              | 23,5 – 2,9               |
| R1CR 24               | 23,5 – 2,9              | 23,5 – 2,9               |
| R2K 24 G-HY           | 23,5 – 2,9              | 23,5 – 2,9               |
| RAIN K 24             | 23,5 – 2,9              | 23,5 – 2,9               |
| R1K 18                | 18,0 – 2,9              | --                       |
| R1K 25                | 25,0 – 3,7              | --                       |
| R1KG 25               | 25,0 – 3,7              | --                       |
| R1K 25 Box            | 25,0 – 3,7              | --                       |
| R1K 25 RAIN           | 25,0 – 3,7              | --                       |

|                      |              |               |                              |
|----------------------|--------------|---------------|------------------------------|
| <b>Number</b>        | KIP-17050/G  | <b>Page</b>   | 2 of 6                       |
| <b>Issue date</b>    | 15-03-2022   | <b>Scope</b>  | (EU) 2016/426 (9 March 2016) |
| <b>Due date</b>      | 14-03-2025   | <b>Module</b> | B (Type testing)             |
| <b>Report number</b> | 140700134/13 |               |                              |
| <b>PIN</b>           | 0476CQ0134   |               |                              |

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

| Model name    | Heat Input (Hi)         |                          |
|---------------|-------------------------|--------------------------|
|               | CH<br>Max – Min<br>(kW) | DHW<br>Max – Min<br>(kW) |
| MODULO 25 A1  | 25,0 – 3,7              | --                       |
| MODULO 25 R1  | 25,0 – 3,7              | --                       |
| R1C 25        | 25,0 – 3,7              | --                       |
| R1K 34        | 34,0 – 4,1              | --                       |
| R1KG 34       | 34,0 – 4,1              | --                       |
| R1K 34 RAIN   | 34,0 – 4,1              | --                       |
| MODULO 34 A1  | 34,0 – 4,1              | --                       |
| MODULO 34 R1  | 34,0 – 4,1              | --                       |
| R1C 34        | 34,0 – 4,1              | --                       |
| R1K 50        | 50,0 – 5,0              | --                       |
| R1BK 50       | 50,0 – 5,0              | --                       |
| R1BK 50 RS    | 50,0 – 5,0              | --                       |
| MODULO 50 A1  | 50,0 – 5,0              | --                       |
| MODULO 50 R1  | 50,0 – 5,0              | --                       |
| R1K 50 RAIN   | 50,0 – 5,0              | --                       |
| R1K 57        | 57,0 – 6,0              | --                       |
| R1K 115       | 114,0 – 6,0             | --                       |
| R1K 115 RAIN  | 114,0 – 6,0             | --                       |
| R1BK 115      | 114,0 – 6,0             | --                       |
| MODULO 115 A1 | 114,0 – 6,0             | --                       |
| MODULO 115 R1 | 114,0 – 6,0             | --                       |
| R1BK 115 RS   | 114,0 – 6,0             | 114,0 – 6,0              |
| R2K 50        | 50,0 – 5,0              | 50,0 – 5,0               |
| R1K 60        | 59,0 – 6,0              | --                       |
| R1K 60 RAIN   | 59,0 – 6,0              | --                       |
| R1BK 60       | 59,0 – 6,0              | --                       |
| MODULO 60 A1  | 59,0 – 6,0              | --                       |
| MODULO 60 R1  | 59,0 – 6,0              | --                       |
| R1BK 60 RS    | 59,0 – 6,0              | 59,0 – 6,0               |
| R1K 120       | 118,0 – 6,0             | --                       |
| R1K 120 RAIN  | 118,0 – 6,0             | --                       |
| R1BK 120      | 118,0 – 6,0             | --                       |
| MODULO 120 A1 | 118,0 – 6,0             | --                       |
| MODULO 120 R1 | 118,0 – 6,0             | --                       |
| R1BK 120 RS   | 118,0 – 6,0             | 118,0 – 6,0              |
| R1K 100       | 100,0 – 5,0             | --                       |
| R1BK 100      | 100,0 – 5,0             | --                       |
| R1K 25/B      | 25,0 – 3,7              | 27,0 – 3,7               |
| R1K 34 S      | 34,5 – 5,0              | --                       |

| Model name            | Heat Input (Hi)         |                          |
|-----------------------|-------------------------|--------------------------|
|                       | CH<br>Max – Min<br>(kW) | DHW<br>Max – Min<br>(kW) |
| R1BK 100 RS           | 100,0 – 5,0             | --                       |
| MODULO 100 A1         | 100,0 – 5,0             | --                       |
| MODULO 100 R1         | 100,0 – 5,0             | --                       |
| R1K 100 RAIN          | 100,0 – 5,0             | --                       |
| R1K 75                | 75,0 – 3,7              | --                       |
| R1BK 75               | 75,0 – 3,7              | --                       |
| R1BK 75 RS            | 75,0 – 3,7              | --                       |
| MODULO 75 A1          | 75,0 – 3,7              | --                       |
| MODULO 75 R1          | 75,0 – 3,7              | --                       |
| R1K 75 RAIN           | 75,0 – 3,7              | --                       |
| R1K 24                | 23,5 – 2,9              | --                       |
| R1K 24 BOX            | 23,5 – 2,9              | --                       |
| R1KG 24               | 23,5 – 2,9              | --                       |
| R1K 24 RAIN           | 23,5 – 2,9              | --                       |
| MODULO 24 A1          | 23,5 – 2,9              | --                       |
| MODULO 24 R1          | 23,5 – 2,9              | --                       |
| R1C 24 /B             | 23,5 – 2,9              | 23,5 – 2,9               |
| R1C 24 /B RAIN        | 23,5 – 2,9              | 23,5 – 2,9               |
| R1K 28 /B             | 28,0 – 3,7              | 28,0 – 3,7               |
| R1K 28 /B Box         | 28,0 – 3,7              | 28,0 – 3,7               |
| R1K 28 /B RAIN        | 28,0 – 3,7              | 28,0 – 3,7               |
| R1C 28 /B             | 28,0 – 3,7              | 28,0 – 3,7               |
| R1K 34 /B             | 34,0 – 4,1              | 34,0 – 4,1               |
| R1K 34 /B RAIN        | 34,0 – 4,1              | 34,0 – 4,1               |
| R1C 34 /B             | 34,0 – 4,1              | 34,0 – 4,1               |
| R1K 24 /B             | 23,5 – 2,9              | 23,5 – 2,9               |
| R1K 24/B BOX          | 23,5 – 2,9              | 23,5 – 2,9               |
| R1K 24 /B RAIN        | 23,5 – 2,9              | 23,5 – 2,9               |
| R2K 25                | 25,0 – 3,7              | 27,0 – 3,7               |
| R2KA 25 /20           | 25,0 – 3,7              | 27,0 – 3,7               |
| R2KA 25 /40           | 25,0 – 3,7              | 27,0 – 3,7               |
| R2KA 25 /100          | 25,0 – 3,7              | 27,0 – 3,7               |
| R2KA 25 /150 SOLAR    | 25,0 – 3,7              | 27,0 – 3,7               |
| R2KA 25 /200 Solar HY | 25,0 – 3,7              | 27,0 – 3,7               |
| R2K 25 HY             | 25,0 – 3,7              | 27,0 – 3,7               |
| R2K 25 HY /S          | 25,0 – 3,7              | 27,0 – 3,7               |
| R2K 25 G-HY           | 25,0 – 3,7              | 27,0 – 3,7               |

|                      |              |               |                              |
|----------------------|--------------|---------------|------------------------------|
| <b>Number</b>        | KIP-17050/G  | <b>Page</b>   | 3 of 6                       |
| <b>Issue date</b>    | 15-03-2022   | <b>Scope</b>  | (EU) 2016/426 (9 March 2016) |
| <b>Due date</b>      | 14-03-2025   | <b>Module</b> | B (Type testing)             |
| <b>Report number</b> | 140700134/13 |               |                              |
| <b>PIN</b>           | 0476CQ0134   |               |                              |

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

For models

R1K 18, R1K 24, R1K 24 /B, R1K 24 /B BOX, R2K 24 BOX, R2KA 24 /8, R2KA 24 /20, R2KA 24 /40, R2KA 24 /100, R1K 25, R1K 28 /B, R2K 28, R2KA 28 /20, R2KA 28 /40, R2KA 28 /100, R1K 34, R1K 34 /B, R2K 34, R2KA 34 /20, R2KA 34 /40, R2KA 34 /100, R1K 50, R2K 50, R2K 24, R1K 100, R2KA 24 /20 2V, R2KA 24 /150 Solar, R2KA 24 /200 Solar, R2KA 24 /8 Box, R2KA 24 /20 Box, R2KA 24 / 20 2V Box, R2KA 24 /200 Solar Hy, R2KA 28 /20 2V, R1KG 25, R2KA 28 /150 Solar, R2KA 28 /200 Solar, R1K 25 Box, R1K 28 /B Box, R2K 28 Box, R2KA 28 /8 Box, R2KA 28 /20 Box, R2KA 28 / 20 2V Box, R2KA 28 /200 Solar Hy, R2KA 34 /20 2V, R1KG 34, R2KA 34 /150 Solar, R2KA 34 /200 Solar, R2KA 34 /200 Solar Hy, R1K 75, R1K 24 BOX, R1KG 24, R2K 24 Hy, R2K 24 Hy /S, R2K 28 Hy, R2K 28 Hy /S, R2K 34 Hy, R2K 34 Hy /S, R1C 24, R1C 24 /B, R2C 24, R1CR 24, R1KR 28, R1KR 34, R2K 24 G-HY, R2C 28, R1CR 28, R1C 25, R1C 28 /B, R2K 28 G-HY, R2C 34, R1CR 34, R1C 34, R1C 34 /B, R1K 57, R1K 60, R1K 115, R1K 120, R1K 25 /B, R2K 25, R2KA 25 /200 Solar HY, R2K 25 HY, R2K 25 HY /S, R2K 25 G-HY, R1K 28, R1KG 28, R1K 28 BOX, R1C 28, R1K 34 S, R2KA 25 /20, R2KA 25 /40, R2KA 25 /100, R2KA 25 /150 SOLAR

Appliance types:

B<sub>23</sub>, B<sub>23p</sub>, B<sub>33</sub>, B<sub>53</sub>, C<sub>13</sub>, C<sub>33</sub>, C<sub>43</sub>, C<sub>53</sub>, C<sub>63</sub>, C<sub>73</sub>, C<sub>83</sub>, C<sub>93</sub>  
C<sub>13x</sub>, C<sub>33x</sub>, C<sub>43x</sub>, C<sub>53x</sub>, C<sub>63x</sub>, C<sub>83x</sub>, C<sub>93x</sub>

For models

R1BK 100, R1BK 100 RS, MODULO 100 A1, MODULO 100 R1, MODULO 25 A1, MODULO 25 R1, MODULO 34 A1, MODULO 34 R1, R1BK 50, R1BK 50 RS, MODULO 50 A1, MODULO 50 R1, R1BK 75, R1BK 75 RS, MODULO 75 A1, MODULO 75 R1, MODULO 24 A1, MODULO 24 R1, R1BK 60, R1BK 60 RS, MODULO 60 A1, MODULO 60 R1, R1BK 115, R1BK 115 RS, MODULO 115 A1, MODULO 115 R1, R1BK 120, R1BK 120 RS, MODULO 120 A1, MODULO 120 R1, MODULO 28 A1, MODULO 28 R1

Appliance types:

B<sub>23</sub>, B<sub>23p</sub>, B<sub>33</sub>, B<sub>53</sub>

For models

R1K 24 /B RAIN, R2K 24 RAIN, R2KA 24 /8 RAIN, R1K 25 RAIN, R1K 28 /B RAIN, R2K 28 RAIN, R2KA 28 /8 RAIN, R1K 34 RAIN, R1K 34 /B RAIN, R2K 34 RAIN, R1K 24 RAIN, R1K 50 RAIN, R1K 75 RAIN, R1K 100 RAIN, R1C 24 RAIN, R1C 24 /B RAIN, R2C 24 RAIN, R1K 60 RAIN, R1K 115 RAIN, R1K 120 RAIN, R1K 28 RAIN, RAIN K 24

Appliance types:

B<sub>23</sub>, B<sub>23p</sub>, B<sub>33</sub>, B<sub>53</sub>, C<sub>13</sub>

A<sub>3</sub> (for outdoors or partially protected place only)

Countries:

AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NO, NL, PL, PT, RO, SE, SI, SK, TR

**Number** KIP-17050/G **Page** 4 of 6  
**Issue date** 15-03-2022 **Scope** (EU) 2016/426 (9 March 2016)  
**Due date** 14-03-2025 **Module** B (Type testing)  
**Report number** 140700134/13  
**PIN** 0476CQ0134

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

### Models

R1K 24, R1K 24 /B, R1K 24 /B BOX, R2K 24 BOX, R2KA 24 /8, R2KA 24 /20, R2KA 24 /40, R2KA 24 /100, R2K 24, R2KA 24 /20 2V, R2KA 24 /150 Solar, R2KA 24 /200 Solar, R2KA 24 /8 Box, R2KA 24 /20 Box, R2KA 24 / 20 2V Box, R1K 24 /B RAIN, R2K 24 RAIN, R2KA 24 /8 RAIN, R2KA 24 /200 Solar Hy, R1K 24 BOX, R1KG 24, R1K 24 RAIN, MODULO 24 A1, MODULO 24 R1, R2K 24 Hy, R2K 24 Hy /S, R1C 24, R1C 24 /B, R2C 24, R1C 24 RAIN, R1C 24 /B RAIN, R2C 24 RAIN, R1CR 24, R2K 24 G-HY, R1K 28, R1KG 28, R1K 28 BOX, R1K 28 RAIN, MODULO 28 A1, MODULO 28 R1, R1C 28, RAIN K 24

### Gas groups:

| Group | mbar  |
|-------|-------|
| E     | 20    |
| H     | 20;25 |
| EK    | 20/25 |
| M     | 20    |

| Group | mbar  |
|-------|-------|
| LL    | 20    |
| Esi   | 20/25 |
| E(S)  | 20    |
|       |       |

| Group | mbar       |
|-------|------------|
| E(R)  | 20         |
| P     | 30; 37; 50 |
| B/P   | 30; 37; 50 |
|       |            |

### Models

R1K 25, R1K 28 /B, R2K 28, R2KA 28 /20, R2KA 28 /40, R2KA 28 /100, R1K 34, R1K 34 /B, R2K 34, R2KA 34 /20, R2KA 34 /40, R2KA 34 /100, R2KA 28 /20 2V, R1KG 25, R2KA 28 /150 Solar, R2KA 28 /200 Solar, R1K 25 Box, R1K 28 /B Box, R2K 28 Box, R2KA 28 /8 Box, R2KA 28 /20 Box, R2KA 28 / 20 2V Box, R1K 25 RAIN, R1K 28 /B RAIN, R2K 28 RAIN, R2KA 28 /8 RAIN, R2KA 28 /200 Solar Hy, MODULO 25 A1, MODULO 25 R1, R2KA 34 /20 2V, R1KG 34, R2KA 34 /150 Solar, R2KA 34 /200 Solar, R1K 34 RAIN, R1K 34 /B RAIN, R2K 34 RAIN, R2KA 34 /200 Solar Hy, MODULO 34 A1, MODULO 34 R1, R1K 75, R1BK 75, R1BK 75 RS, MODULO 75 A1, MODULO 75 R1, R2K 28 Hy, R2K 28 Hy /S, R2K 34 Hy, R2K 34 Hy /S, R1K 75 RAIN, R1KR 28, R1KR 34, , R2C 28, R1CR 28, R1C 25, R1C 28 /B, R2K 28 G-HY, R2C 34, R1CR 34, R1C 34, R1C 34 /B, R1K 25 /B, R2K 25, R2KA 25 /200 Solar HY, R2K 25 HY, R2K 25 HY /S, R2K 25 G-HY, R1K 34 S, R2KA 25 /20, R2KA 25 /40, R2KA 25 /100, R2KA 25 /150 SOLAR

### groups:

| Group | mbar  |
|-------|-------|
| E     | 20    |
| H     | 20;25 |
| EK    | 20/25 |

| Group | mbar  |
|-------|-------|
| LL    | 20    |
| Esi   | 20/25 |
| E(S)  | 20    |

| Group | mbar       |
|-------|------------|
| E(R)  | 20         |
| P     | 30; 37; 50 |
| B/P   | 30; 37; 50 |

### Models

R1K 50, R2K 50, R1BK 50, R1BK 50 RS, MODULO 50 A1, MODULO 50 R1, R1K 50 RAIN, R1K 100, R1BK 100, R1BK 100 RS, MODULO 100 A1, MODULO 100 R1, R1K 100 RAIN

### Gas groups:

| Group | mbar  |
|-------|-------|
| E     | 20    |
| H     | 20;25 |
| EK    | 20/25 |
| Lw    | 20    |

| Group | mbar  |
|-------|-------|
| LL    | 20    |
| Esi   | 20/25 |
| E(S)  | 20    |
| Ls    | 13    |

| Group | mbar       |
|-------|------------|
| E(R)  | 20         |
| P     | 30; 37; 50 |
| B/P   | 30; 37; 50 |
| S     | 25         |

|                      |              |               |                              |
|----------------------|--------------|---------------|------------------------------|
| <b>Number</b>        | KIP-17050/G  | <b>Page</b>   | 5 of 6                       |
| <b>Issue date</b>    | 15-03-2022   | <b>Scope</b>  | (EU) 2016/426 (9 March 2016) |
| <b>Due date</b>      | 14-03-2025   | <b>Module</b> | B (Type testing)             |
| <b>Report number</b> | 140700134/13 |               |                              |
| <b>PIN</b>           | 0476CQ0134   |               |                              |

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

Model  
R1K 18

Gas groups:

| Group | mbar  |
|-------|-------|
| E     | 20    |
| H     | 20;25 |

| Group | mbar  |
|-------|-------|
| LL    | 20    |
| Esi   | 20/25 |
| E(S)  | 20    |

| Group | mbar       |
|-------|------------|
| E(R)  | 20         |
| P     | 30; 37; 50 |
| B/P   | 30; 37; 50 |

Models

R1K 57, R1K 60, R1K 60 RAIN, R1BK 60, R1BK 60 RS, MODULO 60 A1, MODULO 60 R1, R1K 115, R1K 115 RAIN, R1BK 115, R1BK 115 RS, MODULO 115 A1, MODULO 115 R1, R1K 120, R1K 120 RAIN, R1BK 120, R1BK 120 RS, MODULO 120 A1, MODULO 120 R1

Gas groups:

| Group | mbar  |
|-------|-------|
| E     | 20    |
| H     | 20;25 |

| Group | mbar |
|-------|------|
| E(S)  | 20   |
| E(R)  | 20   |

| Group | mbar     |
|-------|----------|
| P     | 30;37;50 |
| B/P   | 30;37;50 |

*The above gas groups can be combined according to the standard EN437:2021 and national situation of countries.*

|                      |              |               |                              |
|----------------------|--------------|---------------|------------------------------|
| <b>Number</b>        | KIP-17050/G  | <b>Page</b>   | 6 of 6                       |
| <b>Issue date</b>    | 15-03-2022   | <b>Scope</b>  | (EU) 2016/426 (9 March 2016) |
| <b>Due date</b>      | 14-03-2025   | <b>Module</b> | B (Type testing)             |
| <b>Report number</b> | 140700134/13 |               |                              |
| <b>PIN</b>           | 0476CQ0134   |               |                              |

## APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

Remarks: --

The validity of this certificate can be verified on request at the following e-mail address: [info@kiwacermet.it](mailto:info@kiwacermet.it)  
This certificate will expire if there have been any changes to the product that may have an impact on compliance with the requirements of the Directive. This certificate will expire if there have been any updates and / or changes to the Technical Standards applicable unless specifically approved by Kiwa Cermet Italia.  
Any total or partial reproduction of this document in any form, without Kiwa Cermet Italia express authorization, is prohibited.